

To: Chester, Steven[Chester.Steven@epa.gov]; Lynch, Mary-Kay[Lynch.Mary-Kay@epa.gov]; Mallory, Brenda[Mallory.Brenda@epa.gov]; Kadeli, Lek[Kadeli.Lek@epa.gov]; Sayles, Gregory[Sayles.Gregory@epa.gov]; Trovato, Ramona[Trovato.Ramona@epa.gov]; Ajl, Diane[Ajl.Diane@epa.gov]; Neugeboren, Steven[Neugeboren.Steven@epa.gov]
From: Corman, Bicky
Sent: Wed 2/12/2014 10:57:55 PM
Subject: RE: WV Chemical Spill

Wondering how we were faring in compiling a response? Thanks!

Bicky Corman

Deputy General Counsel

Office of General Counsel

U.S. Environmental Protection Agency

Corman.Bicky@EPA.gov

Desk: 202-564-2202

Cell: 202-465-5966

From: Chester, Steven
Sent: Tuesday, February 11, 2014 8:46 AM
To: Corman, Bicky; Lynch, Mary-Kay; Mallory, Brenda; Kadeli, Lek; Sayles, Gregory; Trovato, Ramona; Ajl, Diane; Neugeboren, Steven
Subject: RE: WV Chemical Spill

I have forwarded to OCEFT and OCE; waiting to hear back.

From: Corman, Bicky
Sent: Monday, February 10, 2014 6:47 PM
To: Lynch, Mary-Kay; Mallory, Brenda; Kadeli, Lek; Sayles, Gregory; Trovato, Ramona; Ajl, Diane; Neugeboren, Steven; Chester, Steven
Subject: RE: WV Chemical Spill

Adding Steve Chester. Are others able to add OCEFT and the RCEC? Thanks.

Bicky Corman

Deputy General Counsel

Office of General Counsel

U.S. Environmental Protection Agency

Corman.Bicky@EPA.gov

Desk: 202-564-2202

Cell: 202-465-5966

From: Lynch, Mary-Kay

Sent: Monday, February 10, 2014 6:29 PM

To: Corman, Bicky; Mallory, Brenda; Kadeli, Lek; Sayles, Gregory; Trovato, Ramona; Aji, Diane; Neugeboren, Steven

Subject: RE: WV Chemical Spill

Also, suggest coordination with OECA, (Steve Chester and OCEFT) and the RCEC in Region 3.

From: Corman, Bicky

Sent: Monday, February 10, 2014 5:49 PM

To: Mallory, Brenda; Kadeli, Lek; Sayles, Gregory; Trovato, Ramona; Lynch, Mary-Kay; Steve Neugeboren; Aji, Diane

Subject: RE: WV Chemical Spill

Thank you. And adding R3 ORC. (I must admit that I'm a little leery of attorneys advising folks on how to clean drinking water systems! ☺) The e-mail references an attachment. Could someone please forward that? Thank you.

Bicky Corman

Deputy General Counsel

Office of General Counsel

U.S. Environmental Protection Agency

Corman.Bicky@EPA.gov

Desk: 202-564-2202

Cell: 202-465-5966

From: Mallory, Brenda

Sent: Monday, February 10, 2014 5:44 PM

To: Kadeli, Lek; Sayles, Gregory; Trovato, Ramona; Lynch, Mary-Kay; Steve Neugeboren; Corman, Bicky

Subject: Re: WV Chemical Spill

Hey, Lek. I am adding Steve Neugeboren and Bicky to the message (I see you already have Mary Kay). We'll circle back. Thanks. Brenda

From: Kadeli, Lek

Sent: Monday, February 10, 2014 5:16:41 PM

To: Sayles, Gregory; Trovato, Ramona; Lynch, Mary-Kay; Mallory, Brenda

Subject: Re: WV Chemical Spill

Brenda,

Would appreciate advice on approach to this request.

Thanks,

Lek

Sent from my BlackBerry 10 smartphone on the Verizon Wireless 4G LTE network.

From: Sayles, Gregory

Sent: Monday, February 10, 2014 17:12

To: Kadel, Lek; Trovato, Ramona

Subject: FW: WV Chemical Spill

The attachment is a letter to me from an attorney at DOJ in West Virginia asking for a telephone call with me so he can ask me about things related to the WV spill like monitoring source water, what can be done to make the system "clean," etc. How do you advise me to proceed? I am happy to call either of you on this.

Thanks

Greg

From: Goodwin, Booth (USAWVS) [<mailto:Booth.Goodwin@usdoj.gov>]

Sent: Monday, February 10, 2014 4:33 PM

To: Sayles, Gregory

Cc: Justice, Robin (USAWVS); Wright, Philip (USAWVS)

Subject: WV Chemical Spill

Director Sayles-

I emailed you yesterday, but received a message that the email was delayed. I hope it went through, but in the event it did not, I'm forwarding this letter by email, fax, and U.S. Mail (I thought about sending by Pony Express too). When this makes it to you, please give me a call. Thanks so much.

Booth

R. Booth Goodwin II

United States Attorney

Southern District of West Virginia

300 Virginia Street East, Room 4000

Charleston, WV 25301

304-345-2200 (main)

304-340-7842 (direct)

304-610-0257 (cell)